




# **YA-SC-10 Blind Installation Manual**

## Step 1: Check the sizes and position



Align the blind with the window position, check if it fits. If there is any interference with the handle position, or any gaps around the edges, go to Step 5 firstly.





**Step 2: Remove both side covers of blind system. (Please find suggestions followed.)**



**Open the mosquito net, pull the cover from top to bottom, and remove the cover.**





**Open the sunshade totally, pull the cover from bottom to top, and remove the cover.**




### Step 3: Tighten the screws

There are installation holes at each corner. Open the mosquito net totally and tighten the screws. Repeat this step on the sunshade side.



#### Step 4: Fasten the covers



The upper cover plate fit the slot position,then press the cover into the slot of corner.





## Step 5: Install height-adding parts

Check whether the window handle height has an effect on the use of blind.

Check whether the window mounting measurements affects the blind installation.



**Install height-adding parts in the slot according to length**



## **Important Notes**

### **1. Driving Notes**

**For the blinds system, please fully open the blinds or close both sides and ensure that the magnets are locked together. This can prevent the blinds from falling off or getting damaged during driving.**

### **2 Maintenance of Blinds System**

**To reduce the risk of heat damage caused by strong sunlight, please only close two-thirds of the blinds, when the sun is shining brightly.**

**Regularly clean the mosquito net and sunshade with a damp cloth.**

**Avoid using sharp objects or irritating chemical cleaners, as these may damage the blinds system.**